

### **AMENDMENTS**

Please amend the present application as follows:

#### ***Drawings***

Please substitute the attached Figures 20 and 22 (each labeled "replacement sheet") for the previous Figures 20 and 22. Marked-up copies (each labeled "annotated sheet") are provided that show the changes. In particular, for Figure 20, the prefix of "13" for each reference numeral is replaced with "20," consistent with the specification (e.g., page 42, lines 4-29 of the specification). Additionally, for Figure 22, the arrow icon on the left-hand side of the figure denoted as 2037 is deleted, as well as the corresponding reference numeral and reference line, consistent with the specification (e.g., page 43, lines 13-15 of the specification).

**REMARKS**

Applicants respectfully submit that the foregoing amendments are not being submitted for purpose of delay and do not involve new matter. In particular, Applicants have made amendments to Figures 20 and 22 in the manner described above. Applicants have included a marked-up copy for the figures denoting the corrections through this response, and replacement sheets embodying the above-noted correction in clean copies.

**CONCLUSION**

Applicants respectfully request entry of the above-described amendments. If, in the opinion of the Examiner, a telephonic conference would expedite the entry of these amendments, the Examiner is invited to call the undersigned attorney at (770) 933-9500.

Respectfully submitted,

/dr/  
David Rodack  
Registration No. 47,034

**THOMAS, KAYDEN,  
HORSTEMEYER & RISLEY, L.L.P.**  
Suite 1750  
100 Galleria Parkway N.W.  
Atlanta, Georgia 30339  
(770) 933-9500